

RMK151 Rabbit Mower



TECHNICAL INFORMATION

Engine Make	KAWASAKI FS651V
Engine Power	726cc
Transmission Type	Hydrostatic (13cc)
Forward Speed	F 0-10.0
Reverse speed (km/h)	R 0-7.0
Cutting Width	135-150
Height of Cut Range	50-90
Weight	331
Fuel tank capacity	12
Blade	Free Blade x2/Nylon Cord x4
Steering	Differential Lock
Height Adjustment	3 positions
Dimensions	1895 x 1650 x 1020 mm



Documents

Frame 1/15
Frame 2/15
Frame 3/15
Frame 4/15
Frame 5/15
Frame 6/15
Frame 7/15
Frame 8/15
Frame 9/15
Frame 10/15
Frame 11/15
Frame 12/15
Frame 13/15
Frame 14/15
Frame 15/15
16/64 Transmission & HST 1/9 S/N : RH17M00070 ~ RH18D00290
Transmission & HST 2/9
Transmission & HST 3/9
Transmission & HST 4/9
Transmission & HST 5/9
Transmission & HST 6/9
Transmission & HST 7/9
Transmission & HST 8/9
Transmission & HST 9/9
Handle 1/4
Handle 2/4
Handle 3/4
Handle 4/4
Front 1/4
Front 2/4
Front 3/4 R M K 180
Front 4/4
Tire 1/1
Control 1/3
Control 2/3

Control 3/3

Cutting 1/8

Cutting 2/8

Cutting 3/8

Cutting 4/8

Cutting 5/8

Cutting 6/8

Cutting 7/8

Cutting 8/8

Cutting Offset 1/10

Cutting Offset 2/10

Cutting Offset 3/10

Cutting Offset 4/10

Cutting Offset 5/10

Cutting Offset 6/10

Cutting Offset 7/10

Cutting Offset 8/10

Cutting Offset 9/10

Cutting Offset 10/10

Seat 1/4

Seat 2/4

Seat 3/4

Seat 4/4

Engine 1/4

Engine 2/4

Engine 3/4

Engine 4/4

Label 1/1




Illustration Frame 1/15

No.	Qty	Code	Description	Notes
1	1	OR-10322-70900	Cover	
2	1	OR-20322-71200	Holder	
3	1	OR-30322-71700	Holder	




Illustration Frame 2/15

No.	Qty	Code	Description	Notes
1	1	OR-0267-40900	Double Spring Bolt M	
2	1	OR-0342-73600	Side Cover (L) (White)	
3	1	OR-0342-73500	Side Cover (R) (White)	
4	1	OR-0329-71100	Double Spring Bolt 85L	
5	2	OR-0919-01200	Belt Cover Setting Bolt A	
6	2	OR-89-1233-08016	Mini Hexagonal Bolt (PWSW) M8*16	
7	4	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW) M8*20	
8	2	OR-89-1543-08000	Mini Hexagonal Nut (SW) M8	
9	2	OR-89-1714-08000	Flat Washer 8	




Illustration Frame 3/15

No.	Qty	Code	Description	Notes
1	4	OR-0028-70500	Center Step Hinge	
2	2	OR-0301-60400	Rubber 110L	
3	1	OR-0312-70700	Bonnet Clip	
4	1	OR-0341-1031H	Change Pedal CMP (Metallic Grey)	
5	1	OR-0341-1040H	Pedal Stay CMP (Metallic Grey)	
6	1	OR-0341-70200	Change Pedal Rubber	
7	1	OR-0348-2520G	Center Step CMP (Green)	
8	1	OR-0349-2510G	Step CMP (Green)	
9	1	OR-0349-70100	Step Rubber	
10	2	OR-83-1020-314-0	Washer 8*40*2.3	
11	18	OR-83-1484-369-0	Clip (5347)	
12	1	OR-83-1515-975-0	Grease Nipple C-Type M6	
13	2	OR-89-1137-06017	Hexagonal Bolt (PW) M6*17	
14	2	OR-89-1159-08016	Truss Mini Screw M8*16	
15	4	OR-89-1233-08016	Mini Hexagonal Bolt (PWSW)	
	2		M8*16	
16	4	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW)	
	2		M8*20	
17	2	OR-89-1531-06004	Flange Nut M6	
18	2	OR-89-1631-08004	Flange Mini Hexagonal Nut M8	
19	1	OR-89-2521-00012	E Type Ring 12	
20	2	OR-89-3510-01625	DUBush 16.25	
	0			




Illustration Frame 4/15

No.	Qty	Code	Description	Notes
1	1	OR-0348-2020G	Rear FrameCMP (Green)	
2	2	OR-89-1213-10065	Mini Hexagpnal Bolt (8T) M10*65	
		2		
3	2	OR-89-1631-10004	Flange Mini Hexagonal Nut M10	
		2		
4	2	OR-89-1714-10000	Flat Washer 10	
		2		





Illustration Frame 5/15

No.	Qty	Code	Description	Notes
-	1	OR-0322-71000	Fuel Tank Assy	Include : 4,5,7
1	1	OR-80-1920-306-0	Stopper Rubber B-4	
2	1	OR-0322-6020G	Rear Fender Cover (R) (Green)	
3	1	OR-0322-60401	Fuel Tank Cover Stay (White)	
4	1	OR-0322-70700	Fuel Filter	
5	1	OR-0322-71800	Fuel Tank (with Fuel Gauge)	
6	1	OR-0322-73200	Tank Cover White	
7	1	OR-0322-76000	Fuel Tank Cap Assy (with valve)	
8	2	OR-0341-71200	Cable Ties 200L Black	
9	1	OR-0349-6010G	Fuel Tank Holder CMP (Green)	
10	1	OR-89-1111-06025	Hexagonal Bolt M6*25	
11	4	OR-89-1233-08016	Mini Hexagonal Bolt (PWSW) M8*16	
12	4	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW) M8*20	
13	2	OR-89-1232-08016	Mini Hexagonal Bolt (SW) M8*16	
14	1	OR-89-1531-06004	Flange Nut M6	
15	2	OR-89-1713-08000	Flat Washer 8 (large)	



No.	Qty	Code	Description	Notes
1	1	OR-Seat Part	-	Page 55 ~
2	1	OR-Cutting Part	-	Page 37 ~
3	1	OR-Engine Part	-	Page 59 ~





Illustration Frame 7/15

No.	Qty	Code	Description	Notes
1	1	OR-80-1792-988-0	Harness Clip 8	
2	1	OR-0215-70600	Lever Grip (Red)	
3	1	OR-0229-13100	Rubber, L20	
4	1	OR-0276-01900	Spring for Change Arm Return	
5	1	OR-0310-73700	Pedal Rubber	
6	1	OR-0322-2250H	Upper Belt Cover (Metallic Grey)	
7	1	OR-0329-5650H	Joint Link CMP (Metallic Grey)	
8	1	OR-0329-5710H	Offset Pedal CMP (Metallic Grey)	
9	1	OR-0329-57300	Offset Pedal Rod (B) CMP (RMK150)	
10	1	OR-0329-57400	Offset Pedal Rod (C) CMP (RMK150)	
11	1	OR-0329-5810H	Pedal Stopper Bracket CMP (Metallic Grey)	
12	1	OR-0329-58200	Pedal Stopper (RMK150)	
13	1	OR-0349-57200	Offset Pedal Rod (RMK151)	
14	1	OR-83-1711-719-0	Wire Band 200L	
15	4	OR-89-1233-08016	Mini Hexagonal Bolt (PWSW) M8*16	
16	1	OR-89-1561-08000	Mini Hexagonal U Nut M8	
17	1	OR-89-1561-10000	Mini Hexagonal U Nut M10	
18	1	OR-89-1711-08000	Flat Washer 8	
19	1	OR-89-1711-10000	Flat Washer 10*18*1.6	
20	3	OR-89-2131-12000	Snap Pin 12	
21	1	OR-89-2132-12000	Snap Pin 12 (with stopper)	
22	1	OR-89-2521-00012	E Type Ring 12	
23	4	OR-89-3510-01625	DUBush 16.25	



No.	Qty	Code	Description	Notes
1	1	OR-0207-75400	Brake Spring 30	
2	1	OR-0301-60400	Rubber 110L	
3	1	OR-0322-6030H	Rear Belt Cover (Metallic Grey)	
4	1	OR-Transmission&	-	Page 16 ~
5	2	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW) M8*20	
6	1	OR-89-1561-08000	Mini Hexagonal U Nut M8	
7	1	OR-89-1611-08004	Mini Hexagonal Nut M8	
8	1	OR-89-1631-08004	Flange Mini Hexagonal Nut M8	
9	2	OR-89-1711-08000	Flat Washer 8	




Illustration Frame 9/15

No.	Qty	Code	Description	Notes
1	1	OR-0207-77100	Battery Plus Cord 230	
2	1	OR-0322-2210H	Battery Carrier(MetallicGrey)	
3	1	OR-0322-2220H	Battery Holder (Metallic Grey)	
4	1	OR-0322-72200	Battery Minus Cord	
5	1	OR-0322-72300	Cushion Rubber (Battery)	
6	1	OR-Handle Part	-	Page 25 ~
7	1	OR-0329-6021H	Center Belt Cover CMP (Metallic Grey)	
8	1	OR-Front Part	-	Page 29 ~
9	2	OR-83-1484-369-0	Clip (5347)	
10	2	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW) M8*20	
11	3	OR-89-1631-08004	Flange Mini Hexagonal Nut M8	
12	1	OR-0312-75900	Fuse 30 A	
13	1	OR-0341-72200	Wire Harness (RM882/K)	




Illustration Frame 10/15

No.	Qty	Code	Description	Notes
1	1	OR-80-1493-354-0	Rod Return Spring	
2	1	OR-0312-23100	Brake Stopper CMP	
3	1	OR-0312-23200	Brake Stopper Return Spring	
4	1	OR-0312-71100	Brake PedalRubber	
5	1	OR-0322-1040H	Brake Pedal CMP (Metallic Grey)	
6	1	OR-0340-10100	Brake RodCMP	
7	1	OR-Control Part	-	Page 34 ~
8	1	OR-83-1415-975-0	Grease Nipple M6	
9	5	OR-83-1711-719-0	Wire Band 200L	
10	1	OR-89-1213-10035	MiniHexagonalBolt (8T) M10*35	
11	1	OR-89-1611-10004	Mini Hexagonal Nut M10	
12	1	OR-89-1711-12000	Flat Washer 12	
13	1	OR-89-2131-12000	Snap Pin 12	
14	2	OR-89-2521-00012	E Type Ring 12	
15	1	OR-89-3510-01615	DU Bush 16.15	
16	2	OR-89-3510-01625	DUBush 16.25	




Illustration Frame 11/15

No.	Qty	Code	Description	Notes
-	1	OR-0227-42000	Knife Tension PulleySet	Include : 4,6,13,15,16
-	1	OR-0227-41000	Knife Tension Pulley (A) Set	Include : 5,7,13,15,16
1	2	OR-80-1482-549-0	Rubber Cover 58	
2	1	OR-80-1483-568-0	Knife Tension Return Spring	
3	1	OR-0207-78400	Spring For Knife Tension Return	
4	1	OR-0227-40200	Knife Tension Pulley	
5	1	OR-0227-40300	Knife Tension Pulley (A)	
6	1	OR-0227-40400	Knife Tension PulleyAxle	
7	1	OR-0244-42800	Tension Idler Shaft	
8	1	OR-0329-4120H	Knife Tentation ArmCMP (Metallic Grey)	
9	2	OR-83-1020-363-0	Thrust Washer 16*24*1.0	
10	2	OR-89-1613-10004	Mini Hexagonal Nut (3 sorts) M10	
11	2	OR-89-1713-10000	Flat Washer 10 (large)	
12	2	OR-89-1750-10000	Spring Washer 10	
13	2	OR-89-2511-00015	Snap Ring (S15)	
14	1	OR-89-2511-00016	Snap Ring (S16)	
15	2	OR-89-2512-00035	Snap Ring (R35)	
16	4	OR-89-3115-06202	Bearing 6202 2RS	
17	2	OR-89-3510-01625	DUBush 16.25	




Illustration Frame 12/15

No.	Qty	Code	Description	Notes
-	1	OR-83-1032-760-0	Tension Pulley Assy	Include : 7,13,14
1	1	OR-80-1482-549-0	Rubber Cover 58	
2	1	OR-80-1485-551-0	Driving Tension Spring	
3	1	OR-0312-4140H	Belt Holder CMP(Metallic Grey)	
4	1	OR-0322-4110H	DriveTentionArm(MetallicGrey)	
5	1	OR-0322-4140H	Drive Tention Spring Arm(Metallic Grey)	
6	2	OR-83-1020-363-0	Thrust Washer 16*24*1.0	
7	1	OR-83-1032-765-0	Tension Pulley	
8	1	OR-89-1211-10025	Mini Hexagonal Bolt M10*25	
9	1	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW) M8*20	
10	1	OR-89-1611-10004	Mini Hexagonal Nut M10	
11	1	OR-89-2511-00016	Snap Ring (S16)	
12	1	OR-89-2511-00017	Snap Ring (S17)	
13	1	OR-89-2512-00040	Snap Ring (R40)	
14	1	OR-89-3115-06203	Bearing 6203 2RS	
15	2	OR-89-3510-01615	DU Bush 16.15	




Illustration Frame 13/15

No.	Qty	Code	Description	Notes
1	3	OR-0207-76200	Spring (Up/Down)	
2	2	OR-0207-76800	Washer 16*32*2.3	
3	2	OR-0244-1040H	Connecting Plate(MetallicGrey)	
4	1	OR-0329-5040H	Rear Link Arm CMP(L) (Metallic Grey)	
5	1	OR-0329-5050H	Rear Link Arm CMP(R) (Metallic Grey)	
6	1	OR-0329-51100	Link Pin(RMK150)	
7	2	OR-0329-51200	Link Bolt	
8	1	OR-0341-5020H	FrontLink Arm(R)□(Metallic Grey)	
9	1	OR-0349-5030H	Front Link Arm (L) (Metallic Grey)	
10	8	OR-83-1415-975-0	Grease Nipple M6	
11	3	OR-83-1751-311-0	Flat Washer 8*25*2.3	
12	3	OR-89-1232-08016	Mini Hexagonal Bolt (SW) M8*16	
13	2	OR-89-1551-12000	Hexagonal U Nut M12	
14	2	OR-89-1711-12000	Flat Washer 12	
15	2	OR-89-1750-12000	Spring Washer 12	
16	2	OR-89-2131-16000	Snap Pin 16	
17	7	OR-89-2521-00012	E Type Ring 12	




Illustration Frame 14/15

No.	Qty	Code	Description	Notes
1	1	OR-80-1484-354-1	Brake Rod Roller	
2	1	OR-0244-11300	Push Rod Receiver CMP	
3	1	OR-0244-11400	Adjuster Rod (R)	
4	1	OR-0244-11500	Adjuster Rod (L)	
5	1	OR-0244-11600	Turn Buckle (Pipe Type)	
6	1	OR-0244-22600	Brake Rod Hung Plate	
7	1	OR-0303-71100	Gas Spring Free Lock Type (FLC75-75)	
8	1	OR-0329-10500	Lock Pusher(RMK150)	
9	2	OR-83-1020-355-0	Thrust Washer 12*24*1.0	
10	1	OR-89-1137-06012	Hexagonal Bolt (PW) M6*12	
11	1	OR-89-1213-10165	Mini Hexagonal Bolt (8T) M10*165	
12	1	OR-89-1511-06004	Hexagonal Nut M6	
13	1	OR-89-1543-08000	Mini Hexagonal Nut (SW) M8	
14	1	OR-89-1611-10004	Mini Hexagonal Nut M10	
15	3	OR-89-1711-06000	Flat Washer 6	
16	2	OR-89-1711-08000	Flat Washer 8	
17	2	OR-89-2131-08000	Snap Pin 8	
18	3	OR-89-2132-06000	Snap Pin 6 (with stopper)	
19	1	OR-89-2181-06020	Flat Head Pin 6*20	
20	1	OR-89-2181-08028	Flat Head Pin 8*28	
21	1	OR-89-2181-08069	Flat Head Pin 8*69	
22	1	OR-89-3510-01220	DU Bush 12.20	
23	1	OR-89-3511-01015	DUBush 10.15.18F	




Illustration Frame 15/15

No.	Qty	Code	Description	Notes
-	1	OR-0244-11200	Push Rod	Include : 4,21
1	2	OR-80-1792-988-0	Harness Clip 8	
2	2	OR-0207-72800	Switch Lock Nut	
3	2	OR-0207-74400	Safety Switch K17850	
4	1	OR-0244-10600	PushRod	
5	1	OR-0244-13700	Wire Joint CMP	
6	1	OR-0244-70200	Adjusting Shaft Grip	
7	1	OR-0284-71110	Knife Brake Wire (SUS)	
8	1	OR-0289-71300	ArmGrip (Red)	
9	1	OR-0322-13300	Safety Switch Setting Plate	
10	1	OR-0322-75110	Knife Clutch Wire	
11	1	OR-0341-1051H	Up/Down Adjusting Shaft CMP (Metallic Grey)	
12	1	OR-0341-2010H	Frame CMP (Metallic Grey)	
13	4	OR-0342-10100	Connecting Shaft Stay	
14	1	OR-0349-8430H	Knife Clutch Lever CMP (Metallic Grey)	
15	1	OR-83-1415-975-0	Grease Nipple M6	
16	2	OR-89-1132-06016	Hexagonal Bolt (SW) M6*16	
17	4	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW) M8*20	
18	1	OR-89-1631-08004	Flange Mini Hexagonal Nut M8	
19	3	OR-89-1711-06000	Flat Washer 6	
20	3	OR-89-2132-06000	Snap Pin 6 (with stopper)	
21	1	OR-89-2511-00013	Snap Ring (S13)	
22	1	OR-89-2521-00012	E Type Ring 12	




Illustration 16/64 Transmission & HST 1/9 S/N : RH17M00070 ~ RH18D00290

No.	Qty	Code	Description	Notes
1	1	OR-80-1425-551-0	Differential Lock Spring	
2	1	OR-0207-0720H	Fan Cover (Metallic Grey)	
3	1	OR-0207-0740H	FanCoverStayCMP(MetallicGrey)	
4	2	OR-0207-77800	Wheel Boss Dust Seal	
5	4	OR-0244-83200	Mini Hexagonal Bolt (PWSW) M10*25 (7T Lock)	
6	1	OR-0272-33000	RearTire (L)ASSY (16×7.00-8)(Include Wheel Boss)	Detail : Page 33
7	1	OR-0272-34000	Rear Tire (R)ASSY (16×7.00-8) (IncludeWheelBoss)	Detail : Page 33
8	1	OR-0322-0150H	Transmission Hunger Stay CMP(MetallicGrey)	
9	2	OR-83-1630-335-0	Washer 16*40*4.5	
10	1	OR-89-1211-08035	Mini Hexagonal Bolt M8*35	
11	1	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW) M8*20	
12	1	OR-89-1561-08000	Mini Hexagonal U Nut M8	
13	3	OR-89-1631-08004	Flange Mini Hexagonal Nut M8	
14	2	OR-89-1658-16004	Low Fluted Nut (2 sorts) M16	
15	1	OR-89-1750-08000	Spring Washer 8	
16	2	OR-89-1750-16000	Spring Washer 16	
17	2	OR-89-2120-35035	Split Pin 3.5*35	
18	2	OR-89-2150-07050	Key 7*50 (round)	
19	1	OR-0349-09010	Transmission Assy (with HST) (RMK151)	Detail : Page 17




Illustration Transmission & HST 2/9

No.	Qty	Code	Description	Notes
1	1	OR-0207-0310H	Mission Guard CMP Gunmetal Gray	
2	2	OR-0207-07300	DoubleSpringBolt	
3	1	OR-0207-07500	Fan	
4	1	OR-0322-09200	HST Unit (KYB)Assy (RMK150)	Detail : Page 24
5	2	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW) M8*20	
6	4	OR-89-1235-08012	Mini Hexagonal Bolt (SW) M8*12	
7	2	OR-89-1251-08112	Flange Mini Hexagonal Bolt M8*112	
8	2	OR-89-1750-08000	Spring Washer 8	
9	1	OR-89-2150-05020	Key 5*20 (round)	
10	1	OR-0323-09100	Transmission Assy (without HST)	Detail : Page 18 ~




Illustration Transmission & HST 3/9

No.	Qty	Code	Description	Notes
-	1	OR-0207-73000	Brake Assy(with packing)	Include : 1,2,4,5,7,9,11,15
-	1	OR-0207-73200	Brake Cap Assy	Include : 2,4,7,9,11,15
1	1	OR-80-1030-282-0	Brake Drum(PA-7)	
2	1	OR-80-1030-285-0	Spring for Brake Shoe Return	
3	1	OR-0207-10300	Brake Joint	
4	1	OR-0244-88100	Brake Shoe Set (PA-7)	
5	1	OR-0308-00300	Brake Cover PK(PA-7)	
6	4	OR-89-1113-06012	Hexagonal Bolt (8T) M6*12	
7	1	OR-89-1611-10004	Mini Hexagonal Nut M10	
8	1	OR-89-1711-08000	Flat Washer 8	
9	1	OR-89-1712-10000	Flat Washer 10	
10	4	OR-89-1750-06000	Spring Washer 6	
11	1	OR-89-1750-10000	Spring Washer 10	
12	1	OR-89-2120-20015	Split Pin 2*15	
13	1	OR-89-2511-00015	Snap Ring (S15)	
14	1	OR-89-5125-15300	Oil Seal UE 15.30.07F	
15	1		Not Servicable	




Illustration Transmission & HST 4/9

No.	Qty	Code	Description	Notes
-	1	OR-0289-01000	Oil Plug Assy (with ORing)	Include : 4,21
-	1	OR-0244-08000	Oil Seal 25.47.15(with DP)	Include : 8,20
1	1	OR-0207-06100	Air Bleezer	
2	1	OR-0215-0010H	Drive Clutch Arm(Metallic Grey)	
3	1	OR-0284-4020H	TransmissionPulley(HI) (Metallic Grey)	
4	1	OR-0289-01100	Oil Plug Assy (without ORing)	
5	1	OR-0244-0110H	AxleCase(L)CMP (MetallicGrey)	
6	2	OR-0342-77800	Bearing 6005 2NSE-NB	
7	1	OR-83-1020-349-0	Copper Packing 10.5*18*1.6	
8	1	OR-83-1415-663-0	Oil Seal DP25.30.15	
9	2	OR-83-1415-671-0	Blind Cover 22	
10	1	OR-83-1482-311-0	Washer 6.5*22*3.2	
11	1	OR-89-1113-06020	Hexagonal Bolt (8T) M6*20	
12	6	OR-89-1232-08020	Mini Hexagonal Bolt (SW) M8*20	
13	1	OR-89-1252-10012	Flange Mini Hexagonal Bolt M10*12 (slender)	
14	1	OR-89-1543-08000	Mini Hexagonal Nut (SW) M8	
15	1	OR-89-1750-06000	Spring Washer 6	
16	1	OR-89-2151-05020	Key 5*20 (half round)	
17	1	OR-89-2512-00047	Snap Ring (R47)	
18	1	OR-89-5121-12220	Oil Seal UE12.22.7	
19	1	OR-89-5121-28470	Oil Seal UE28.47.8	
20	1	OR-89-5121-30470	Oil Seal UE 30.47.7	
21	1	OR-89-5221-02400	ORing P24	




Illustration Transmission & HST 5/9

No.	Qty	Code	Description	Notes
1	1	OR-80-1310-138-0	Spring 1.4	
2	1	OR-0207-00100	Transmission Case(L)	
3	1	OR-0207-00300	AAxle	
4	1	OR-0207-00400	20T Spiral Mita Gear(L)	
5	1	OR-0207-01700	Swing ArmCMP	
6	1	OR-0207-01900	Shift Spring Holder	
7	2	OR-83-1020-148-0	Tapping Bolt M6*14	
8	12	OR-83-1482-143-0	Tapping Bolt M8*25	
9	1	OR-89-2150-05016	Key 5*16 (round)	
10	1	OR-89-2511-00017	Snap Ring (S17)	
11	1	OR-89-2512-00042	Snap Ring (R42)	
12	2	OR-89-3115-06004	Bearing 6004 2RS	
13	1	OR-89-3410-08000	Steel Ball 8.0	
14	1	OR-89-5121-20420	Oil Seal UE20.42.8	




Illustration Transmission & HST 6/9

No.	Qty	Code	Description	Notes
1	1	OR-0207-00500	20T Spiral Mita Gear(R)	
2	1	OR-0207-00600	BAxle	
3	1	OR-0207-00700	CAxle	
4	1	OR-0207-01310	Brake Shaft 34T Gear	
5	1	OR-0207-01400	DAxle 37T Gear	
6	1	OR-0207-01600	Shift Fork Shaft CMP	
7	1	OR-0215-00300	Brake Shaft	
8	1	OR-0215-00400	Shift Gear 28	
9	1	OR-0215-00500	CAxle Collar 26	
10	1	OR-0244-00400	DAxle	
11	1	OR-83-1020-361-0	Thrust Washer 15*24*1.0	
12	4	OR-89-3111-06004	Bearing 6004	
13	2	OR-89-3111-06202	Bearing 6202	
14	2	OR-89-3111-06203	Bearing 6203	




Illustration Transmission & HST 7/9

No.	Qty	Code	Description	Notes
-	1	OR-0244-08000	Oil Seal 25.47.15(with DP)	Include : 7,15
1	1	OR-80-1488-153-0	Differential Lock Arm	
2	1	OR-80-1830-113-0	Differential Lock Fork	
3	1	OR-0207-00200	Transmission Case(R)	
4	1	OR-0207-01800	Differential Lock Fork Shaft	
5	1	OR-0244-0120H	AxleCase(R)CMP (MetallicGrey)	
6	2	OR-0342-77800	Bearing 6005 2NSE-NB	
7	1	OR-83-1415-663-0	Oil Seal DP25.30.15	
8	6	OR-89-1232-08020	Mini Hexagonal Bolt (SW) M8*20	
9	1	OR-89-1543-08000	Mini Hexagonal Nut (SW) M8	
10	1	OR-89-2111-03002	Spring Pin 3*20	
11	1	OR-89-2111-05002	Spring Pin 5*22	
12	1	OR-89-2512-00047	Snap Ring (R47)	
13	1	OR-89-5121-12220	Oil Seal UE12.22.7	
14	1	OR-89-5121-28470	Oil Seal UE28.47.8	
15	1	OR-89-5121-30470	Oil Seal UE 30.47.7	




Illustration Transmission & HST 8/9

No.	Qty	Code	Description	Notes
1	1	OR-80-1415-150-0	Axle Pin	
2	1	OR-80-1425-143-0	Differential Lock Cone	
3	1	OR-80-1481-151-0	Differential Lock Plate	
4	4	OR-80-1481-152-0	Differential Lock Gear 11T	
5	4	OR-80-1481-155-0	Differential Gear Shaft Collar	
6	1	OR-80-1751-162-0	Differential Lock Spring	
7	1	OR-0207-02220	Axle(R)CMP	
8	1	OR-0207-02120	Axle(L) CMP	
9	1	OR-0244-00300	AxleGear39TCMP	
10	1	OR-83-1830-382-0	Thrust Washer 40*48*1.0	
11	6	OR-89-1613-10004	Mini Hexagonal Nut (3 sorts) M10	
12	6	OR-89-1750-10000	Spring Washer 10	
13	1	OR-89-2511-00028	Snap Ring (S28)	
14	1	OR-89-2511-00040	Snap Ring (S40)	
15	3	OR-89-3410-07500	Steel Ball 7.5	
16	1	OR-89-3510-02830	DUBush 28.30	




Illustration Transmission & HST 9/9

No.	Qty	Code	Description	Notes
-	1	OR-0322-01600	HST Oil Tank Assy(BlackCap)	Include : 3,7,8
1	1	OR-HST Unit	-	Ditail : Page 17
2	1	OR-0207-07700	Port Joint	
3	1	OR-0207-08610	HST Oil Tank (without Tank Cap)	
4	1	OR-0207-79800	PushClip	
5	1	OR-0227-74200	Wire Band 300	
6	1	OR-0244-72700	HST Oil Hose	
7	1	OR-0289-71200	WaterproofPacking	
8	1	OR-0312-01800	HST Oil Tank Cap (Black)	
9	2	OR-0312-74400	Hose Band 16-25	
10	1	OR-0322-71600	Moisture AdsorptionSheet	
11	1	OR-0348-0010H	Control ArmCMP(MetallicGrey)	
12	1	OR-0348-00201	HST Oil Tank Stay CMP(White)	
13	1	OR-89-1113-06012	Hexagonal Bolt (8T) M6*12	
14	1	OR-89-1511-06004	Hexagonal Nut M6	
15	1	OR-89-1543-08000	Mini Hexagonal Nut (SW) M8	
16	1	OR-89-2151-05016	Key5*16(halfround)	
17	2	OR-89-5222-04500	O Ring G45	




Illustration Handle 1/4

No.	Qty	Code	Description	Notes
-	1	OR-0262-70100	Steering Wheel Assy	Include : 2,3,4
1	1	OR-0207-79200	Fuse Box Bracket	
2	1	OR-0262-70300	Sub Handle Assy	
3	1	OR-0262-70400	Steering Wheel	
4	1	OR-0262-70500	Steering Cap	
5	2	OR-0312-11701	Handle Stay Cover Holder (White)	
6	1	OR-0312-77900	Fuse Box Cover	Only Cover
7	1	OR-0322-11500	Meter Panel Cover	
8	1	OR-0322-73000	Magnet Switch Set	
9	1	OR-0348-14700	Fuse Box Bracket	
10	5	OR-89-1137-06015	Hexagonal Bolt (PW) M6*15	
	2			
11	4	OR-89-1159-06010	Truss Mini Screw M6*10	
12	1	OR-89-1390-06016	Welded Bolt M6*16	
	2			
13	5	OR-89-1531-06004	Flange Nut M6	
	2			
14	1	OR-89-1541-06000	Hexagonal Nut (SW) M6	
	2			
15	1	OR-89-1561-10000	Mini Hexagonal U Nut M10	
	2			
16	1	OR-89-1713-10000	Flat Washer 10 (large)	
	2			
17	1	OR-89-1812-06000	Toothed washer (inside) 6	
	2			




Illustration Handle 2/4

No.	Qty	Code	Description	Notes
1	1	OR-0207-79300	Pilot Lamp	
2	1	OR-0207-79700	Key Switch (NMA03-A020)	
3	1	OR-0244-70300	Lighting Switch	
4	1	OR-0244-73600	Hour Meter	
5	1	OR-0322-10511	Handle Stay CMP (White)	
6	1	OR-0322-11100	Tilt Pin CMP	
7	1	OR-0322-11701	Head Lamp Stay (White)	
8	1	OR-0322-71100	Clip ϕ 6	
9	1	OR-0322-71300	Head Lamp	
10	1	OR-0322-71400	Cramp Lever 8*25	
11	1	OR-0341-1410G	MeterPanelCMP (Green)	
12	1	OR-0341-71100	Choke Wire	
13	1	OR-83-1751-312-0	Washer 8*25*3.2	
14	1	OR-0348-14201	Harness Panel CMP (White)	
15	1	OR-83-1711-719-0	Wire Band 200L	
16	4	OR-89-1233-08016	Mini Hexagonal Bolt (PWSW) M8*16	
17	8	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW) M8*20	
18	3	OR-89-1631-08004	Flange Mini Hexagonal Nut M8	
19	1	OR-89-1750-08000	Spring Washer 8	




Illustration Handle 3/4

No.	Qty	Code	Description	Notes
-	1	OR-0342-77600	Handle Height Pipe Bolt Set	Include : 1,9
1	1	OR-0244-75800	Bolt for Upper Shaft Setting	
2	4	OR-0245-74310	Hexagonal Bolt(SW) M8*18 7T (Meck)	
3	4	OR-0314-70100	MiniHexagonalBolt(Meck) M8*22	
4	1	OR-0322-10110	Steering Joint Shaft CMP	
5	1	OR-0322-10210	Steering Upper Shaft CMP	
6	1	OR-0322-10701	Handle Support CMP (White)	
7	1	OR-0322-1080H	Steering Gear Box Bracket CMP (Metallic Grey)	
8	1	OR-0322-11610	Mini Hexagonal Bolt (7T) M8*10 (Meck)	
9	1	OR-89-1553-06000	Bag Hexagonal UNut M6	
10	4	OR-89-1750-08000	Spring Washer 8	
11	1	OR-89-2150-05020	Key 5*20 (round)	
12	1	OR-89-3511-02225	DU Bush 22.25.33F	




Illustration Handle 4/4

No.	Qty	Code	Description	Notes
-	2	OR-0207-13000	TieRodAdjusterAssy	Include : 5,6,7,9,12
1	1	OR-80-1016-461-0	BearingCover	
2	2	OR-80-1020-719-0	HexagonalTapTight M8*18	
3	1	OR-80-1484-962-1	Steering GearBox Assy	
4	2	OR-80-1490-967-0	Steering Boots	
5	2	OR-80-1493-962-0	Link Ball LHSA 10DE21	
6	2	OR-80-1493-963-0	Link Ball LHSA 10DLE21	
7	2	OR-0207-13100	TieRodAdjuster	
8	1	OR-0322-1060H	Rack SupportCMP (RM881)(MetallicGrey)	
9	2	OR-83-1493-195-0	HexagonalNut (slender) M10 Left	
10	4	OR-83-1493-255-0	Flange Lock Nut M10 (slender)	
11	2	OR-89-1254-10025	Flange Mini Hexagonal BoltM10*25 P=1.25	
12	2	OR-89-1612-10004	MiniHexagonalNut (Slender)M10	




Illustration Front 1/4

No.	Qty	Code	Description	Notes
1	1	OR-0207-30700	Center Pin	
2	4	OR-0312-74300	Hexagonal Bolt (7T-SW.PW) M10*30(Meck)	
3	1	OR-0322-3030H	Front Axle Holder(881) (MetallicGrey)	
4	1	OR-83-1415-975-0	Grease Nipple M6	
5	1	OR-89-1551-12000	Hexagonal U Nut M12	
6	1	OR-89-1713-12000	Flat Washer 12 (large)	
7	1	OR-89-1750-12000	Spring Washer 12	




Illustration Front 2/4

No.	Qty	Code	Description	Notes
1	1	OR-0322-3110H	Front Upper Flapper Guard CMP(Metallic Grey)	
2	1	OR-0322-3130H	UpperFlapperHolder(MetallicGrey)	
3	1	OR-0322-31500	UpperFlapperHolder(R)	
4	1	OR-0329-33400	Front Flapper (RMK150)	
5	1	OR-0329-8380H	Front FlapperHolder(RMK150)(Metallic Grey)	
6	1	OR-0329-8390H	FootGuardCMP (RMK150) (MetallicGrey)	
7	1	OR-0341-30100	UpperFlapper	
8	2	OR-83-1565-111-0 0	Hexagonal Bolt (with Big Washer) M6*16	
9	5	OR-89-1137-06015 2	Hexagonal Bolt (PW) M6*15	
10	2	OR-89-1213-10035 7	MiniHexagonalBolt (8T) M10*35	
11	2	OR-89-1232-10020 2	Mini Hexagonal Bolt (SW) M10*20	
12	4	OR-89-1581-06004	Flange Cap Nut M6	
13	2	OR-89-1631-10004 2	Flange Mini Hexagonal Nut M10	
14	4	OR-89-1712-10000	Flat Washer 10*21*2.1	
15	2	OR-89-1713-10000 2	Flat Washer 10 (large)	




Illustration Front 3/4 R M K 180

No.	Qty	Code	Description	Notes
1	2	OR-0207-30500	Front WheelDustCover	
2	2	OR-0207-30600	Front Wheel Rubber Cover	
3	2	OR-0207-30800	Front Wheel Rubber Cover (IN) for 7inch	
4	2	OR-0207-30900	Front Wheel Rubber Cover Support	
5	2	OR-0207-31100	King Pin Collar	
6	1	OR-0309-00600	Dust Cover for Main Shaft	
7	1	OR-0322-32000	Front Tire (L) ASSY (3.50-7 TA) (Include Wheel Boss)	Detail : 33
8	1	OR-0322-33000	Front Tire (R) ASSY (3.50-7 TA) (Include Wheel Boss)	Detail : 33
9	1	OR-0349-31800	Front Wheel Rubber Cover (OUT)	
10	8	OR-89-1631-08004	Flange Mini Hexagonal Nut M8 2	
11	2	OR-89-1668-14004	MiniLowFlutedNut(2 sorts)M14 2	
12	1	OR-89-1750-14000	Spring Washer 14	
13	2	OR-89-2120-25025	Split Pin 2.5*25 2	




Illustration Front 4/4

No.	Qty	Code	Description	Notes
1	1	OR-0259-30500	Protector Return Spring	
2	1	OR-0259-30600	Protector Collar	
3	1	OR-0312-74300	Hexagonal Bolt (7T-SW.PW) M10*30(Meck)	
4	1	OR-0322-3020H	King Pin (L) CMP (Metallic Grey)	
5	1	OR-0329-3210H	FrontAxleCMP(RMK150)(Metallic Grey)	
6	1	OR-0341-3110H	King Pin (R) CMP (Metallic Grey)	
7	1	OR-0341-3120H	Protector CMP (Metallic Grey)	
8	4	OR-83-1310-371-0	Thrust Washer 20*30*1.0	
9	2	OR-83-1415-975-0	Grease Nipple M6	
10	2	OR-83-1490-337-0	Washer20*38*3.2	
11	1	OR-89-1232-10025	Mini Hexagonal Bolt (SW) M10*25	
12	1	OR-89-1543-10000	Mini Hexagonal Nut (SW) M10	
13	1	OR-89-1713-10000	Flat Washer 10 (large)	
14	2	OR-89-2511-00020	Snap Ring (S20)	
15	2	OR-89-3510-02535	DUBush 25.35	
16	4	OR-89-3511-02020	DUBush20.20.31F	




Illustration Tire 1/1

No.	Qty	Code	Description	Notes
-	1	OR-0322-35000	TireAssy(R)3.50-7 (TA)	Include : 1,2,8,11,14
-	1	OR-0322-34000	TireAssy(L) 3.50-7(TA)	Include : 1,2,8,11,14
-	1	OR-80-1751-412-0	Tire (R) Assy (16*7.00-8)	Include : 3,4,5,12,14
-	1	OR-80-1751-411-0	Tire (L) Assy (16*7.00-8)	Include : 3,4,5,12,14
1	2	OR-80-1260-404-0	Tire Tube 3.50-7	
2	2	OR-80-1260-407-0	Wheel Assy 3.50-7	
3	2	OR-80-1751-401-0	Tire16*700*8	
4	2	OR-80-1751-404-0	TireTube16*700*8	
5	2	OR-80-1751-407-0	WheelAssy16*700*8	
6	2	OR-0207-30411	Front Wheel Boss (White)	
7	2	OR-0207-31201	Rear Wheel Boss (White)	
8	2	OR-0322-32100	Tire3.50-7 (TA)	
9	4	OR-0342-77700	Bearing 6004 2NSE-NB	
10	8	OR-89-1113-10020	Hexagonal Bolt (8T) M10*20	
11	8	OR-89-1211-08016	MiniHexagonalBoltM8*16	
12	12	OR-89-1213-08016	Mini Hexagonal Bolt (8T) M8*16	
13	8	OR-89-1213-10025	Mini Hexagonal Bolt (8T) M10*25	
14	20	OR-89-1543-08000	Mini Hexagonal Nut (SW) M8	
15	16	OR-89-1750-10000	Spring Washer 10	




Illustration Control 1/3

No.	Qty	Code	Description	Notes
-	1	OR-0341-11010	Change Pedal Rod Assy	Include : 1,2,3,8,10,13
-	1	OR-0312-16000	Shift Rod Assy	Include : 1,2,3,9,10,13
1	2	OR-80-1485-265-0	Shift Rod Adjuster	
2	2	OR-80-1487-962-1	Rod End PHS10ECL	
3	2	OR-80-1487-964-1	Rod End PHS10EC	
4	1	OR-0207-72600	Lever Grip 8 (black)	
5	1	OR-0215-70600	Lever Grip (Red)	
6	1	OR-0221-13200	Change Grip	
7	1	OR-0341-1020G	Control Guide CMP(Green)	
8	1	OR-0341-11110	Change Pedal Rod	
9	1	OR-0348-11100	Shift Rod	
10	2	OR-83-1488-195-0	Mini Hexagonal Nut M10 (L)	
11	3	OR-89-1213-10030	Mini Hexagonal Bolt (8T) M10*30	
12	4	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW)	
13	4	OR-89-1611-10004	Mini Hexagonal Nut M10	
14	1	OR-89-1613-10004	Mini Hexagonal Nut (3 sorts) M10	
15	4	OR-89-1631-10004	Flange Mini Hexagonal Nut M10	
16	2	OR-89-1711-10000	Flat Washer 10*18*1.6	




Illustration Control 2/3

No.	Qty	Code	Description	Notes
-	1	OR-0312-17010	Change Brake Assy	Include : 5,6,9,10
1	1	OR-0207-72300	Change Brake Adjuster	
2	1	OR-0225-11800	Spring, Change Brake	
3	1	OR-0312-12900	Throttle Lever	
4	1	OR-0312-14200	Spring for Brake Pulling	
5	1	OR-0312-17100	Brake Cover	
6	1	OR-0312-17200	Brake Drum	
7	1	OR-0322-75400	ThrottleWire	
8	1	OR-83-1675-375-0	Thrust Washer 14*23*1.0	
9	2	OR-85-1711-317-0	Shoe Return Spring	
10	1	OR-85-1711-318-0	Brake Shoe Set	
11	3	OR-89-1113-06012	Hexagonal Bolt (8T) M6*12	
12	1	OR-89-1561-10000	Mini Hexagonal U Nut M10	
13	2	OR-89-1611-08004	Mini Hexagonal Nut M8	
14	1	OR-89-1611-10004	Mini Hexagonal Nut M10	
15	1	OR-89-1711-06000	Flat Washer 6	
16	3	OR-89-1750-06000	Spring Washer 6	
17	2	OR-89-1852-10000	Belleville Spring H10	
18	1	OR-89-2132-06000	Snap Pin 6 (with stopper)	
19	1	OR-89-2150-05010	Key 5*10 (round)	
20	1	OR-89-2181-06012	Flat Head Pin 6*12	
21	1	OR-89-2511-00014	Snap Ring (S14)	




Illustration Control 3/3

No.	Qty	Code	Description	Notes
1	1	OR-80-1020-263-0	Control Lever Shaft Spring	
2	1	OR-0244-13200	Differential Lock Lever CMP	
3	1	OR-0244-72410	Defferential Lock Wire	
4	1	OR-0312-1210H	Change Bracket CMP(Metallic Grey)	
5	2	OR-0312-1231H	Neutral Arm(Metallic Grey)	
6	1	OR-0312-1242H	Change Lever Base CMP (Metallic Grey)	
7	1	OR-0312-13700	Spring for Change Lever	
8	1	OR-0312-13800	Spring for Change Return Arm	
9	1	OR-0322-1240H	Change Return Arm CMP (Metallic Grey)	
10	1	OR-0329-12500	Spring for Change Pedal	
11	1	OR-0348-1010H	Change Lever Guide CMP (Metallic Grey)	
12	1	OR-0348-10300	Change Lever CMP	
13	1	OR-89-1113-06055	Hexagonal Bolt (8T) M6*55	
14	1	OR-89-1551-06000	Hexagonal U Nut M6	
15	1	OR-89-1561-10000	Mini Hexagonal U Nut M10	
16	1	OR-89-1711-10000	Flat Washer 10*18*1.6	
17	1	OR-89-1713-06000	Flat Washer 6 (large)	
18	1	OR-89-2132-06000	Snap Pin 6 (with stopper)	
19	1	OR-89-2181-06016	Flat Head Pin 6*16	
20	1	OR-89-2521-00010	E Type Ring 10	
21	2	OR-89-2521-00012	E Type Ring 12	
22	6	OR-89-3510-01615	DU Bush 16.15	




Illustration Cutting 1/8

No.	Qty	Code	Description	Notes
1	1	OR-0244-6120H	Rear Guard (Metallic Grey)	
2	1	OR-0244-61300	Rear Guard Flapper	
3	1	OR-0244-6140H	RearFlapperHolder(Metallic Grey)	
4	1	OR-0312-50700	Side Rear Flapper (L)	
5	2	OR-0312-77500	Flange Cap Nut M6 (Meck)	
6	1	OR-0329-6050H	Knife Belt Cover CMP (Metallic Grey)	
7	3	OR-83-1751-312-0	Washer 8*25*3.2	
8	2	OR-89-1137-06015	Hexagonal Bolt (PW) M6*15	
9	4	OR-89-1137-06017	Hexagonal Bolt (PW) M6*17	
10	5	OR-89-1233-08016	Mini Hexagonal Bolt (PWSW) M8*16	
11	4	OR-89-1581-06004	Flange Cap Nut M6	
12	3	OR-89-1671-08004	Mini Cap Nut M8	
13	2	OR-89-1713-06000	Flat Washer 6 (large)	
14	1	OR-89-6123-00770	V Belt SB-77 (W800)	




Illustration Cutting 2/8

No.	Qty	Code	Description	Notes
1	1	OR-0223-11600	Wire Joint	
2	1	OR-0303-53500	Hunger Pin	
3	1	OR-0329-5320H	Connecting Hunger CMP (Metallic Grey)	
4	1	OR-0329-53400	Offset Connecting Pipe CMP (RMK150)	
5	1	OR-0329-70900	Wire, Middle Tension (RMK150)	
6	1	OR-89-1232-08016	Mini Hexagonal Bolt (SW) M8*16	
7	1	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW) M8*20	
8	2	OR-89-1531-06004	Flange Nut M6	
9	2	OR-89-1711-06000	Flat Washer 6	
10	2	OR-89-1713-06000	Flat Washer 6 (large)	
11	1	OR-89-1714-08000	Flat Washer 8	
12	2	OR-89-2132-06000	Snap Pin 6 (with stopper)	
13	1	OR-89-2181-06016	Flat Head Pin 6*16	
14	2	OR-89-2511-00016	Snap Ring (S16)	
15	2	OR-89-3510-01615	DU Bush 16.15	




Illustration Cutting 3/8

No.	Qty	Code	Description	Notes
-	1	OR-0272-41000	Tension Pulley (B) Assy	Include : 4,14,15
1	1	OR-80-1485-551-0	Driving Tension Spring	
2	1	OR-0207-72300	Change Brake Adjuster	
3	1	OR-0225-70800	Blind Cover 40	
4	1	OR-0272-40200	Tension Pulley (B)	
5	1	OR-0303-5121H	Middle Tension Arm (B) CMP (Metallic Grey)	
6	1	OR-0329-5080H	Left Cover (Metallic Grey)	
7	1	OR-0329-60101	Middle Belt Cover CMP (White)	
8	2	OR-83-1020-363-0	Thrust Washer 16*24*1.0	
9	2	OR-83-1751-312-0	Washer 8*25*3.2	
10	4	OR-89-1233-08016	Mini Hexagonal Bolt (PWSW) M8*16	
11	2	OR-89-1611-08004	Mini Hexagonal Nut M8	
12	2	OR-89-1671-08004	Mini Cap Nut M8	
13	2	OR-89-2511-00016	Snap Ring (S16)	
14	1	OR-89-2512-00040	Snap Ring (R40)	
15	1	OR-89-3115-06203	Bearing 6203 2RS	
16	2	OR-89-3510-01625	DUBush 16.25	
17	1	OR-89-6123-00480	V Belt SB-48 (W800)	




Illustration Cutting 4/8

No.	Qty	Code	Description	Notes
-	1	OR-0272-41000	Tension Pulley (B) Assy	Include : 4,13,15
1	1	OR-80-1485-551-0	Driving Tension Spring	
2	1	OR-0221-63600	Spring for Sensor Return	
3	1	OR-0225-70800	Blind Cover 40	
4	1	OR-0272-40200	Tension Pulley (B)	
5	1	OR-0282-70400	Blind Cover 35	
6	1	OR-0303-5110H	Middle Tension Arm (A) CMP (Metallic Grey)	
7	1	OR-0303-5230H	Middle Pulley CMP (Metallic Grey)	
8	1	OR-0913-70700	Grease Nipple B-Type M6	
9	1	OR-89-2511-00015	Snap Ring (S15)	
10	1	OR-89-2511-00016	Snap Ring (S16)	
11	1	OR-89-2511-00017	Snap Ring (S17)	
12	1	OR-89-2512-00035	Snap Ring (R35)	
13	1	OR-89-2512-00040	Snap Ring (R40)	
14	2	OR-89-3115-06202	Bearing 6202 2RS	
15	1	OR-89-3115-06203	Bearing 6203 2RS	
16	2	OR-89-3510-01615	DU Bush 16.15	
17	1	OR-89-6123-00560	V Belt SB-56 (W800)	




Illustration Cutting 5/8

No.	Qty	Code	Description	Notes
1	2	OR-0244-63900	Round Head Pin 10*72	
2	1	OR-0244-71600	Spring for Right Cover	
3	1	OR-0284-51600	SideFlapper(RearRight88)	
4	4	OR-0312-77500	Flange Cap Nut M6 (Meck)	
5	1	OR-0340-5010H	RightCover CMP(MetallicGrey)	
6	1	OR-0340-50200	RightCover Up/DownArm	
7	1	OR-0341-51100	RightCover Flapper	
8	1	OR-0349-5630H	Side Foot Guard (Metallic Grey)	
9	4	OR-89-1137-06017	Hexagonal Bolt (PW) M6*17	
	2			
10	2	OR-89-1159-08016	Truss Mini Screw M8*16	
11	1	OR-89-1213-08025	Mini Hexagonal Bolt(8T) M8*25	
	2			
12	1	OR-89-1253-08020	Flange Mini Hexagonal Bolt (8T)	
	2		M8*20	
13	2	OR-89-1561-08000	Mini Hexagonal U Nut M8	
	2			
14	2	OR-89-1671-08004	Mini Cap Nut M8	
	2			
15	4	OR-89-1713-06000	Flat Washer 6 (large)	
	2			
16	1	OR-89-1713-08000	Flat Washer 8 (large)	
	2			
17	2	OR-89-1714-10000	Flat Washer 10	
	2			
18	3	OR-89-1750-08000	Spring Washer 8	
	2			
19	2	OR-89-2131-10000	Snap Pin 10	
	2			




Illustration Cutting 6/8

No.	Qty	Code	Description	Notes
1	1	OR-80-1482-371-3 H	Knife Brake (6t) (Metallic Grey)	
2	1	OR-80-1482-373-0	Brake Return Spring	
3	1	OR-80-1792-988-0	Harness Clip 8	
4	1	OR-0221-5140H	Knife Brake Bracket CMP (Metallic Grey)	
5	1	OR-0303-5811H	Knife Belt Holder (L) (Metallic Grey)	
6	1	OR-0303-5820H	Knife Belt Holder (R) (Metallic Grey)	
7	4	OR-83-1565-329-0	Washer 13*22*2.3	
8	1	OR-83-1754-329-0	Washer 13*22*1.0	
9	5	OR-89-1233-08020 2	Mini Hexagonal Bolt (PWSW) M8*20	
10	1	OR-89-2120-20015	Split Pin 2*15	
11	1	OR-89-2181-06016	Flat Head Pin 6*16	
12	2	OR-89-2521-00010	E Type Ring 10	
13	2	OR-89-3510-01220 0	DU Bush 12.20	




Illustration Cutting 7/8

No.	Qty	Code	Description	Notes
1	2	OR-80-1483-818-0	Knife Collar	
2	2	OR-80-1483-821-0	Knife	
3	1	OR-80-1493-A17-0	Knife Stay	
4	2	OR-0207-50200	Knife Setting Bolt M14*34	
5	1	OR-0221-4010H	Knife Pulley (A) (Metallic Grey)	
6	1	OR-0221-76100	Washer 12*40*6	
7	1	OR-0221-76200	Mini Hexagonal Bolt (8T) M12*35	
8	1	OR-0238-5110H	Knife Bracket(MetallicGrey)	
9	2	OR-0244-51800	Nut Guard 14	
10	1	OR-0244-5210H	Knife Neck Guard (Metallic Grey)	
11	2	OR-0244-74600	Hard Lock Nut M14	
12	2	OR-83-1483-129-0	MiniHexagonalBolt(8T) M12*30	
13	1	OR-83-1483-175-0	Bag Nut M20 (Lock)	
14	3	OR-89-1750-12000	Spring Washer 12	
15	1	OR-89-1750-20000	Spring Washer 20	




Illustration Cutting 8/8

No.	Qty	Code	Description	Notes
1	1	OR-0221-50110	Vertical Shaft (A)	
2	1	OR-0262-50100	Dust Plate	
3	1	OR-0349-5010H	Safety Cover CMP (Metallic Grey)	
4	2	OR-89-2512-00062	Snap Ring (R62)	
5	2	OR-89-3115-06007	Bearing 6007 2RS	
6	1	OR-89-5121-35621	Oil Seal UE 35.62.10	
7	1	OR-89-5121-40621	Oil Seal UE40.62.12	




Illustration Cutting Offset 1/10

No.	Qty	Code	Description	Notes
1	1	OR-0303-5610H	Offset Flapper Holder (B) (Metallic Grey)	
2	1	OR-0303-61400	Offset Flapper (B)	
3	1	OR-0329-54702	Foot Guard Rear (Red)	
4	1	OR-0349-54502	Foot Guard Front CMP (Red)	
5	1	OR-89-1111-12095	Hexagonal Bolt M12*95	
6	3	OR-89-1137-06017	Hexagonal Bolt (PW) M6*17	
7	1	OR-89-1213-10035	MiniHexagonalBolt (8T) M10*35	
8	2	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW) M8*20	
9	1	OR-89-1551-12000	Hexagonal U Nut M12	
10	1	OR-89-1611-10004	Mini Hexagonal Nut M10	
11	1	OR-89-1714-10000	Flat Washer 10	
12	1	OR-89-2131-10000	Snap Pin 10	
13	1	OR-89-2181-10080	Flat Head Pin 10*80	




Illustration Cutting Offset 2/10

No.	Qty	Code	Description	Notes
1	1	OR-80-1614-725-2	Front Wheel Fork (Red)	
2	1	OR-80-1614-726-0	Front Wheel Collar	
3	1	OR-0256-60700	Dust Cover	
4	1	OR-0285-73100	Front Wheel (G200N-20)	
5	1	OR-0329-54302	Front Tire Bracket CMP (Red)	
6	1	OR-83-1415-975-0	Grease Nipple M6	
7	1	OR-83-1783-376-0	Thrust Washer 25*34*1.0	
8	1	OR-84-1783-791-0	Grease Nipple Bolt M14	
9	1	OR-89-1211-10095	Mini Hexagonal Bolt M10*95	
10	1	OR-89-1543-10000	Mini Hexagonal Nut (SW) M10	
11	1	OR-89-1750-14000	Spring Washer 14	
12	1	OR-89-3370-05110	Thrust Bearing 51105	




Illustration Cutting Offset 3/10

No.	Qty	Code	Description	Notes
1	2	OR-0303-70600	Mini Hexagonal Bolt (8T) M10*50 (Meck)	
2	2	OR-0329-5531H	Rotary Protector (Metallic Grey)	
3	2	OR-0329-5540H	Knife Bracket (B) (Metallic Grey)	
4	2	OR-0329-5550H	Knife Neck Guard CMP (Metallic Grey)	
5	2	OR-0329-55600	Offset Blade (RMK150)	
6	4	OR-0329-61800	Nylon Blade (tooth of saw) (RMK150)	
7	2	OR-83-1517-175-0	Mini Cap Nut M12	
8	6	OR-83-1610-125-0	Hexagonal Bolt (8T) M10*35	
9	6	OR-89-1750-10000	Spring Washer 10	
10	2	OR-89-1750-12000	Spring Washer 12	




Illustration Cutting Offset 4/10

No.	Qty	Code	Description	Notes
1	1	OR-0329-61110	Blade Holder (A) (RMK150)	
2	1	OR-0329-61210	Blade Holder (B) (RMK150)	
3	4	OR-0329-61600	Blade Holder Clip (RMK150)	
4	4	OR-0329-71300	Hexagonal Hole Bolt M6*10 (SUS)	




Illustration Cutting Offset 5/10

No.	Qty	Code	Description	Notes
1	1	OR-0223-71500	Rubber L92	
2	1	OR-0301-60400	Rubber 110L	
3	1	OR-0329-53501	Offset Belt Cover (B) CMP (White)	
4	1	OR-0329-53701	Offset Belt Cover (C) CMP (White)	
5	1	OR-0329-57700	Belt Cover Rubber	
6	4	OR-89-1233-08016	Mini Hexagonal Bolt (PWSW)	
	2		M8*16	
7	4	OR-89-1581-06004	Flange Cap Nut M6	
	2			
8	4	OR-89-1713-06000	Flat Washer 6 (large)	
	2			




Illustration Cutting Offset 6/10

No.	Qty	Code	Description	Notes
1	1	OR-0201-52700	Tension Spring for Blade	
2	1	OR-0207-72300	Change Brake Adjuster	
3	1	OR-0221-4020H	Knife Pulley (B) (Metallic Grey)	
4	1	OR-0221-4030H	Knife Pulley (C) (Metallic Grey)	
5	1	OR-0221-4130H	Tension Arm (C) CMP (Metallic Grey)	
6	1	OR-0221-41400	Tension Pulley (C)	
7	1	OR-0234-70500	Blind Cover 40	
8	2	OR-83-1751-312-0	Washer 8*25*3.2	
9	2	OR-83-1761-112-0	Hexagonal Bolt (Meck) M8*20	
10	2	OR-89-1611-08004	Mini Hexagonal Nut M8	
11	2	OR-89-1750-08000	Spring Washer 8	
12	2	OR-89-2151-05025	Key 5*25 (half round)	
13	1	OR-89-2511-00017	Snap Ring (S17)	
14	1	OR-89-2512-00040	Snap Ring (R40)	
15	1	OR-89-2521-00008	E Type Ring 8	
16	1	OR-89-3115-06203	Bearing 6203 2RS	
17	2	OR-89-3510-01212	DU Bush 12.12	
18	1	OR-89-6123-00400	V Belt SB-40 (W800)	




Illustration Cutting Offset 7/10

No.	Qty	Code	Description	Notes
1	1	OR-0303-5260H	Swing Arm CMP (Metallic Grey)	
2	1	OR-0303-5650H	Swing Flapper Holder (Metallic Grey)	
3	1	OR-0303-57800	Swing Flapper	
4	1	OR-0308-5040H	Swing Front Flapper Holder (Metallic Grey)	
5	1	OR-0329-5270H	Swing Cover CMP (Metallic Grey)	
6	1	OR-0329-57900	Swing Side Flapper (RMK150)	
7	5	OR-89-1137-06017	Hexagonal Bolt (PW) M6*17	
8	1	OR-89-1711-10000	Flat Washer 10*18*1.6	
9	2	OR-89-2521-00008	E Type Ring 8	




Illustration Cutting Offset 8/10

No.	Qty	Code	Description	Notes
1	1	OR-0308-5040H	Swing Front Flapper Holder (Metallic Grey)	
2	1	OR-0329-5310H	Cover (D) CMP (Metallic Grey)	
3	1	OR-0329-53300	Cover (E) (RMK150)	
4	1	OR-0329-55700	Spring Hook Plate (RMK150)	
5	1	OR-0329-55900	Spring for Offset Return (P) (RMK150)	
6	1	OR-0329-57800	Swing Front Flapper (RMK150)	
7	2	OR-83-1751-311-0	Flat Washer 8*25*2.3	
8	2	OR-89-1159-06016	Truss Mini Screw M6*16	
9	2	OR-89-1233-08016	Mini Hexagonal Bolt (PWSW) M8*16	
10	2	OR-89-1561-08000	Mini Hexagonal U Nut M8	




Illustration Cutting Offset 9/10

No.	Qty	Code	Description	Notes
1	1	OR-0329-5070H	Offset Cover (C) CMP (Metallic Grey)	
2	1	OR-0329-5130H	Upper Holder (Metallic Grey)	
3	1	OR-0329-51400	Holder Collar (RMK150)	
4	1	OR-0329-52400	Vertical Shaft (C) (RMK150)	
5	1	OR-0329-55100	18 inch Tire (RMK150)	
6	1	OR-0329-55800	Spring for Offset Return (RMK150)	
7	1	OR-83-1830-382-0	Thrust Washer 40*48*1.0	
8	2	OR-89-1233-08016	Mini Hexagonal Bolt (PWSW) M8*16	
9	2	OR-89-2511-00040	Snap Ring (S40)	
10	2	OR-89-2512-00035	Snap Ring (R35)	
11	2	OR-89-3115-06003	Bearing 6003 2RS	
12	2	OR-89-3115-06908	Bearing 6908 2RS	
13	2	OR-89-5121-25350	Oil Seal UE 25.35.7	




Illustration Cutting Offset 10/10

No.	Qty	Code	Description	Notes
1	1	OR-0221-51200	Hunger Spring (A)	
2	1	OR-0303-53100	Hunger CMP	
3	1	OR-0303-5360H	Hunger Stay CMP (Metallic Grey)	
4	1	OR-0303-70300	Stopper Cushion Rubber	
5	1	OR-0329-5060H	Offset Cover (B) CMP (Metallic Grey)	
6	1	OR-0329-52200	Vertical Shaft (B) (RMK150)	
7	1	OR-83-1035-323-0	Washer 10*30*3.2	
8	1	OR-89-1213-10025	Mini Hexagonal Bolt (8T) M10*25	
9	1	OR-89-1543-10000	Mini Hexagonal Nut (SW) M10	
10	2	OR-89-1561-10000	Mini Hexagonal U Nut M10	
11	2	OR-89-2512-00035	Snap Ring (R35)	
12	2	OR-89-3115-06003	Bearing 6003 2RS	
13	2	OR-89-5121-25350	Oil Seal UE 25.35.7	




Illustration Seat 1/4

No.	Qty	Code	Description	Notes
1	1	OR-80-1792-988-0	Harness Clip 8	
2	1	OR-0310-73800	Gas Spring KMF 65-40	
3	1	OR-0221-71900	Clip CT-339	
4	1	OR-0244-22200	Seat Bracket Shaft	
5	1	OR-0244-73700	Grommet 24	
6	1	OR-0312-70700	Bonnet Clip	
7	1	OR-0322-2160G	Seat Bracket CMP(Green)	
8	1	OR-0348-21511	Clutch Cancellation Stay (White)	
9	2	OR-83-1415-312-0	Washer 8*30*3.2	
10	2	OR-89-1137-06017	Hexagonal Bolt (PW) M6*17	
11	2	OR-89-1232-08020	Mini Hexagonal Bolt (SW) M8*20	
12	2	OR-89-1233-08016	Mini Hexagonal Bolt (PWSW) M8*16	
13	2	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW) M8*20	
14	2	OR-89-1543-08000	Mini Hexagonal Nut (SW) M8	
15	2	OR-89-1553-06000	Bag Hexagonal UNut M6	
16	2	OR-89-1561-10000	Mini Hexagonal U Nut M10	
17	4	OR-89-1711-10000	Flat Washer 10*18*1.6	
18	2	OR-89-1750-08000	Spring Washer 8	




Illustration Seat 2/4

No.	Qty	Code	Description	Notes
1	1	OR-0207-72800	Switch Lock Nut	
2	1	OR-0207-72900	Seat Switch Spring	
3	1	OR-0207-74400	Safety Switch K17850	
4	2	OR-0342-22100	Rubber, Seat Spacer	
5	1	OR-0348-20900	Seat Switch Stay	
6	2	OR-89-1111-06014	Hexagonal Bolt M6*14	
7	2	OR-89-1137-06015	Hexagonal Bolt (PW) M6*15	
8	2	OR-89-1253-10020	Flange Mini Hexagonal Bolt (8T) M10*20	
9	1	OR-89-1390-06016	Welded Bolt M6*16	
10	3	OR-89-1531-06004	Flange Nut M6	
11	2	OR-89-1561-10000	Mini Hexagonal U Nut M10	
12	2	OR-89-1711-06000	Flat Washer 6	
13	2	OR-89-1714-10000	Flat Washer 10	




Illustration Seat 3/4

No.	Qty	Code	Description	Notes
1	1	OR-0341-21101	Seat Receiver CMP (White)	
2	2	OR-0341-21201	Lower Slide CMP(White)	
3	1	OR-0341-21301	Upper Slide (R) CMP(White)	
4	1	OR-0341-21401	Upper Slide (L) CMP (White)	
5	1	OR-0341-21500	Seat Lever Spring	
6	1	OR-0341-21801	Slide Lever CMP(White)	
7	1	OR-0348-24101	Upper Seat Receiver CMP (White)	
8	1	OR-0348-71100	Seat (COBO)	
9	4	OR-89-1239-08025 2	Mini Hexagonal Bolt (PWSW) M8*25	
10	1	OR-89-1561-08000	Mini Hexagonal U Nut M8	
11	8	OR-89-1631-08004 2	Flange Mini Hexagonal Nut M8	
12	1	OR-89-1711-08000 2	Flat Washer 8	




Illustration Seat 4/4

No.	Qty	Code	Description	Notes
1	2	OR-0244-71200	Spring for Seat Link	
2	1	OR-0312-21601	Parallel Seat Link CMP (White)	
3	2	OR-0312-21701	Seat Parallel Link (B) (White)	
4	2	OR-0312-21800	Spring Shaft	
5	1	OR-0312-22101	Spring Shaft Hook CMP(White)	
6	2	OR-0329-80300	Seat Link Shield (RMK150)	
7	1	OR-0348-2110G	Link Upper Bracket (R) CMP (Green)	
8	1	OR-0348-2120G	Link Upper Bracket (L) CMP (Green)	
9	1	OR-0348-21311	Link Upper Bracket CMP(White)	
10	12	OR-83-1020-363-0	Thrust Washer 16*24*1.0	
11	1	OR-89-1211-10030	Mini Hexagonal Bolt M10*30	
12	1	OR-89-1714-10000	Flat Washer 10	
13	6	OR-89-2521-00012	E Type Ring 12	




Illustration Engine 1/4

No.	Qty	Code	Description	Notes
1	1	OR-0312-40500	Muffler Cover CMP	
2	1	OR-0312-77300	Harness (K)	
3	1	OR-0329-40600	Exhaust Pipe Cover (RMK150)	
4	4	OR-89-1132-06012	Hexagonal Bolt (SW) M6*12	
5	2	OR-89-1232-08020	Mini Hexagonal Bolt (SW) M8*20	
6	4	OR-89-1711-06000	Flat Washer 6	




Illustration Engine 2/4

No.	Qty	Code	Description	Notes
-	1	OR-0322-74000	Fuel Cock Assy (K)	Include : 1,4,7
-	1	OR-0322-72500	Fuel Hose 270L &Clip	Include : 1,7
-	1	OR-0322-72400	Fuel Hose 600L &Clip	Include : 1,6
1	4	OR-80-1483-988-0	Hose Clip 17	
2	1	OR-80-1792-988-0	Harness Clip 8	
3	1	OR-0207-74900	Copper Packing 12.5*19*1.0	
4	1	OR-0244-74500	Fuel Cock	
5	1	OR-0312-44100	Oil Drain Assy (K)	
6	1	OR-0322-70400	Fuel Hose 600L	
7	1	OR-0322-70500	Fuel Hose 270L	
8	1	OR-89-1233-08016	Mini Hexagonal Bolt (PWSW)	
	2		M8*16	
9	1	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW)	
	2		M8*20	
10	1	OR-89-1251-12015	Flange Mini Hexagonal Bolt	
	2		M12*15	




Illustration Engine 3/4

No.	Qty	Code	Description	Notes
1	1	OR-0207-76300	Nut UNF 1/4	
2	1	OR-0312-40100	Muffler	
3	1	OR-0312-40200	Exhaust Pipe CMP(FS641)	
4	1	OR-0312-70500	Muffler Band	
5	2	OR-89-1233-08020	Mini Hexagonal Bolt (PWSW) M8*20	
6	4	OR-89-1611-08004	Mini Hexagonal Nut M8	
7	1	OR-89-1750-06000	Spring Washer 6	
8	4	OR-89-1750-08000	Spring Washer 8	




Illustration Engine 4/4

No.	Qty	Code	Description	Notes
1	1	OR-80-1487-516-0	Washer 11*40*6	
2	1	0 OR-0221-40400	Engine Pulley	
3	1	OR-0244-41100	Engine Collar	
4	1	OR-0244-41200	Sub Engine Collar (21HP)	
5	4	OR-0312-42100	Hexagonal Bolt (8T) UNC3/8-16*38	
6	1	OR-83-1437-115-0	Hexagonal Bolt (8T) UNF7/16*35 0	
7	1	OR-83-1493-300-0	Spring Washer 7/16 0	
8	4	0 OR-89-1750-10000	Spring Washer 10	
9	1	OR-89-1812-10000	Toothed Washer (inside) 10 2	
10	1	OR-89-6123-00320	VBelt SB-32 (W800)	
11	1	OR-9021-0110	Kawasaki Engine FS641V-BG81	




Illustration Label 1/1

No.	Qty	Code	Description	Notes
1	1	OR-80-1488-912-0	Label, Key (13121)	
2	1	OR-80-1488-921-0	Label Pedal Stopper (13113)	
3	1	OR-80-1488-926-1	Label, Caution for Knife	
4	2	OR-80-1488-928-1	Label, Caution for Belt Involving	
5	1	OR-0202-74400	Label, Noise 104db	
6	1	OR-0215-80410	Driving Clutch ON-OFF Label	
7	1	OR-0215-83100	AttentionMark for Slope	
8	1	OR-0215-83200	Label, Protection Equipment	
9	1	OR-0217-70810	Label, Gear Oil 1.0L	
10	1	OR-0223-76100	Label, Caution (Large)	
11	1	OR-0259-80700	Label, Cutting Height Line	
12	1	OR-0312-86100	Label, Seat Spring Adjusting	
13	2	OR-0322-77900	Reflection Seat (Red)	
14	1	OR-0322-78300	Label, Fuse Box	
15	2	OR-0329-76200	Label, Caution for Hand and Leg etc	
16	1	OR-0329-77510	Label, Choke (RMK150)	
17	1	OR-0342-70400	Label, Front Mark	
18	1	OR-0342-70500	Label, Step Mark (OREC)	
19	1	OR-0342-70700	Label, Side Cowl Mark Set (RM)	
20	1	OR-0343-70410	Label, Symbol Mark (RM)	
21	1	OR-0347-85200	Label, Control	
22	2	OR-0349-73100	Label, Model RMK151	
23	1	OR-0349-78100	Label, Maintenance (RMK151)	
24	1	OR-0349-78300	Label, Cutting Height Adjusting (RMK151)	
25	1	OR-0352-76600	Label, Handle (Blue)	
26	1		Serial Number	